

F18



Features

- Fingerprint Capacity – 3000
- Card Storage - 3,000
- Transaction storage - 30,000 LogS
- Battery backup
- Push Data – Yes

Technical Specification

Storage capacity	Fingerprints templates	3000
	Card Storage	3,000
	Transaction storage	30,000
Biometric	Card reader	Yes
	CPU	32 bit High End Microprocessor
	Fingerprint sensor	500 DPI Optical sensor
	FAR	$\leq 0.0001\%$
	FRR	$\leq 1\%$
	Identification speed	$\leq 0.5\text{sec}$

	Algorithm Ver	9/10
Audio/Visual	Display	2.8" color TFT
	Keypad	Yes
	LED Indicator	Green/Red
	Schedule Bell/Speaker	Mini Speaker
Communication	Communication	TCP/IP,USB host
	Push data	Standard
	Standard features	DLST, Self service query, Status Switch
Power & environment	Power Supply	DC 12V: 1.5Amp
	Operating Temperature	0°C to 45°C
	Operating Humidity	20% -80%
	Dimension	183 x 80 x42 mm
Access control	Wiegand	In & Out
	Relay	12 V relay for lock EM lock, Bolt Lock or Strike lock
	Door Sensor	Yes
	Anti Passback	Yes
	Door Bell	Yes
Exit Readers	Support exit readers	FR 1200/KR 500
Optional	Battery	No
	Card readers	Yes
	Communication	No
	Card Type	Mifare/HID Prox
Compatibility		Compatible with Multi Door controllers via weigand

	External Speaker output available (Optional)
	External Bulb output available (Optional)
Compatible Software and SDK	Etime track lite desktop & web
	SDK for desktop applications
	Web based Device Manager/ePush server using Push data. Helps develop
	Supports 3rd Party Payroll/HRMS/ERP and Other applications
Major Applications	Time & Attendance , Canteen management, School attendance, Production Management, Gym & clubs

Adobe PDF Converter 5.53 Unregistered