

K30



Features

- Users - 1000 Fingerprints
- Transaction - 1,00,000 Logs
- Card Storage - 1000
- Display - 2.8" Color TFT
- Push Data – Yes

Storage Capacity	Fingerprint Templates	1000
	Card Storage	1000
	Transaction Storage	1,00,000
	Card Reader	Yes
Biometric	Fingerprint Sensor	500 DPI Optical Sensor
	FAR	<=0.0001%
	FRR	<=1%
	Identification speed	<=1 sec
	Algorithm Ver	10

Audio/Visual	Display	2.8" Color TFT
	Keypad	4 x 4 Keypad
	LED Indicator	Green/Red
	Schedule Bell/Speaker	Mini Speaker
Communication	Communication	TCP/IP, USB-host
	Push data	Yes
	Standard features	Schedule Bell,Self Service Query,SSR Recorder,Automati Status Switch,DST,T9 Inupt
Power & Environment	Power Supply	12V DC, 1.5 Amps
	Operating Temperature	0°C to 45°C
	Operating Humidity	20% -80%
	Dimension	185 x 140 x 30 mm
Access Control	Wiegand	NO
	Relay	12V
	Support Fire Alarm	NO
	Door Sensor	NO
	Anti Passback	NO
	Door Bell	NO
Exit Readers	Support exit readers	Push Button
Optional	Battery	Yes
	Card readers	NO
	Communication	NA
	Dual Mode	Either SSR Mode or Software Mode

Compatibility		
Compatible Software & SDK		Etime track lite desktop & Web, Epush Server
Major Applications		Time & Attendance , Canteen management, School attend
		Production Management, Gym & clubs

Adobe PDF Converter 5.53 Unregistered